

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2072	318/138.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:11
S2	4702	318/254.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:15
S3	378	318/430.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:15
S4	135	318/431.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:16
S5	1443	318/439.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:16
S6	493	318/700.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:16
S7	120	318/720.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:16
S8	379	318/721.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:16
S9	5	("4698537" or "5467001" or "6150778" or "6448736" or "6653811").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:16
S10	20	("4215302"   "4565957"   "4575652"   "4698537"   "4772839"   "4814677"   "5010267"   "5140243"   "5446354"   "5459385"   "5497064"   "5518373"   "5525886"   "5719456"   "5737164"   "5844343"   "5936322"   "5969454"   "6153956"   "6448736").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/27 16:20
S11	1929	rotor and (position adj2 mechanism)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:21
S12	108	rotor and (position adj2 mechanism) and (hold and sampl\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:22
S13	190	rotor and (position adj2 mechanism) and (deceleration or deactivation)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:22
S14	6	rotor and (position adj switch\$5 adj mechanism) and (deceleration or deactivation)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/27 16:22

S15	8	motor.clm. and rotor.clm. and (angle adj detect\$4).clm. and position.clm. and current.clm.	US-PGPUB	OR	ON	2005/10/27 16:52
S16	2	motor.clm. and rotor.clm. and angle.clm. and position.clm. and current.clm. and learn\$5.clm.	US-PGPUB	OR	ON	2005/10/27 16:52
S17	182	motor.clm. and rotor.clm. and angle.clm. and position.clm. and current.clm.	US-PGPUB	OR	ON	2005/10/27 16:51
S18	9	motor.clm. and rotor.clm. and angle.clm. and position.clm. and current.clm. and fail\$5.clm.	US-PGPUB	OR	ON	2005/10/27 16:47
S19	1	US-5821970-\$.DID.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/31 10:57
S20	1	"4911031".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/31 10:57
S21	31	("4911031").URPN.	USPAT	OR	ON	2005/10/31 11:06
S22	425	(slow adj down or decrease or drop\$5 or decline or weak\$7 or slump\$4 or brak\$4) near4 rotor and current adj2 phase and speed	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:50
S23	6129	encoder and rotor and position	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:16
S24	79	S22 and S23	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:14
S25	28	S22 and S23 and transmission	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:15
S26	92619	encoder and position	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:16
S27	79	S22 and S26	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:16
S28	475432	S22 and S26 and transmission or gear	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:17
S29	32	S22 and S26 and (transmission or gear)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:17
S30	495	(revers\$5 or weak\$7 or brak\$4) near4 rotor and current adj2 phase and speed	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:51

S31	13894	(revers\$5 or weak\$7 or brak\$4) near4 rotor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:51
S32	4432	((revers\$5 or weak\$7 or brak\$4) near4 rotor).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:51
S33	40	S32 and S26	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:52
S34	0	S32 and S26 and (Switch adj reluctance)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:52
S35	554	S31 and S26	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/22 14:52
S36	5	S31 and S26 and (switch adj reluctance)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 10:57
S37	50	(switch adj reluctance) and (encoder or sensor or detect\$4) and (rotor adj position)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 14:04
S39	24	(decelerat\$4 or brak\$4 or regenerat\$4) near5 rotor and (phase adj lead)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 14:10
S40	4077	(decelerat\$4 or brak\$4 or regenerat\$4) near5 rotor and position and speed	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 14:10
S41	0	((decelerat\$4 or brak\$4 or regenerat\$4) near5 rotor).pn. and position and speed	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 14:10
S42	553	((decelerat\$4 or brak\$4 or regenerat\$4) near5 rotor).ab. and position and speed	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 14:11
S43	47	((decelerat\$4 or brak\$4 or regenerat\$4) near5 rotor).ab. and (rotor adj position) and speed	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 15:09
S44	6	((decelerat\$4 or brak\$4 or regenerat\$4) near5 rotor).ab. and (rotor adj position) and speed and reluctance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 14:11
S45	16	((decelerat\$4 or brak\$4 or regenerat\$4) near5 rotor).ab. and (rotor adj position) and transmission	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/23 15:09
S46	5	US-4698537-\$.DID. OR US-5467001-\$.DID. OR US-6150778-\$.DID. OR US-6448736-\$.DID. OR US-6653811-\$.DID.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 09:32

S47	2	("4678401" or "5619109").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 09:44
-----	---	------------------------------	---------------------------------	----	----	------------------